

Product: MICA Primer Mix, 24 rxn

Product number: 1081670

Batch number: 287646709

Omixon® batch number: P/014

Expiration date: 2020-JUN-25

Manufacturing date: 2019-FEB-01

Test	Specification	Results
ESI mass spectral analysis	6225.1 Da \pm 2.8 Da	Pass
	6773.4 Da \pm 2.8 Da	Pass
Primer volume	60 μ L \pm 20%	Pass

Storage: Store MICA Primer Mix in a sealed container at -20°C .

Verified by: Wade Beagle

Quality release date: 2019-FEB-18

IDT verifies that the information contained herein is true and correct to the best of our knowledge. This document was produced electronically and is valid without signature.

IDT is a trademark of Integrated DNA Technologies, Inc.

Product: MICA Primer Mix, 24 rxn

Product number: 1081670

Part number	Lot number	COA release date
1081670	287646709	2019-FEB-18

Verified by: Wade Beagle

Quality release date: 2019-FEB-18

Integrated DNA Technologies hereby declares that Omixon® product MICA Primer Mix, 24 rxn, batch: 287646709 has been manufactured in full compliance with Omixon-defined specifications contained in the master specification document and that it has passed Integrated DNA Technologies QC test as documented in the associated Certificate of Analysis (COA).

IDT is a trademark of Integrated DNA Technologies, Inc.