

FusionPlex Sarcoma v2

Description

The FusionPlex Sarcoma v2 panel is a balanced pool of gene-specific primer (GSP) oligonucleotides that is optimized for use with FusionPlex reagents and molecular barcode (MBC) adapters to produce targeted NGS libraries. This product insert should be used in conjunction with FusionPlex protocol for Illumina® (RA-DOC-047) or FusionPlex protocol for Ion Torrent[™] (RA-DOC-048).

FusionPlex Sarcoma v2 libraries contain **659** GSPs targeting **63** genes commonly mutated in solid tumor cancer types.

| Description | Part number | Storage |
|---|-------------|--------------|
| FusionPlex Sarcoma v2 GSP1, 8 reactions | SA19191081 | |
| FusionPlex Sarcoma v2 GSP2, 8 reactions | SA19191082 | -20°C ± 10°C |
| 10X VCP Primer Mix | SA0126 | |

Recommended PCR cycling

| | Step | Temperature (°C) | Time | Cycles |
|--------------------|------|------------------|------------------------|--------|
| First PCR reaction | 1 | 95 | 3 min | 1 |
| | 2 | 95 | 30 sec | 15 |
| | 3 | 63 | 5 min (100% ramp rate) | |
| | 4 | 72 | 3 min | |
| | 5 | 4 | Hold | 1 |

Recommended PCR cycling (*cont.*)

| | Step | Temperature (°C) | Time | Cycles |
|---------------------|------|------------------|------------------------|-----------------|
| Second PCR reaction | 1 | 95 | 3 min | 1 |
| | 2 | 95 | 30 sec | 20 [†] |
| | 3 | 65 | 5 min (100% ramp rate) | |
| | 4 | 72 | 3 min | 1 |
| | 5 | 4 | Hold | 1 |

[†]The number of PCR2 cycles may be decreased if you regularly experience library yields greater than 200 nM.

Recommended reads and multiplexing

FusionPlex Sarcoma v2 libraries should be sequenced to a minimum of **2M reads**. Starting read depth recommendations for standard profiling may be adjusted based on user needs.

Archer[™] Analysis settings

Sequencing data should be processed using Archer Analysis (v7.0, or greater). The FusionPlex panel requires selection of the **Fusion** and (optional) **SNV/Indel** pipeline(s), found under the **RNA** Input Type (see the Archer Analysis User Guide for more details on setting up your analysis).

Processing of FusionPlex Sarcoma v2 libraries requires a one-time upload of the Panel GTF. Files can be obtained by contacting archer-tech@idtdna.com.

Assay targets

| Gene | Accession | Exon | Variant Type | Description** |
|------|-----------|--|---|---|
| ALK | NM_004304 | 2, 4, 6, 8, 10, 12, 14, 16, 17, 18, 19, intron 19, 20, mid-exon 20, 21, 22, 23, 26 | Fusion, ALK ATIV, Internal deletion (ALKΔ2-17, ALKΔ2-3) | 5' |
| ALK | NM_004304 | 1, 2 | Internal deletion (ALKΔ2-17, ALKΔ2-3) | 3' |
| ALK | NM_004304 | 22, 23, 25 | Mutation | p.P1153-p.C1156,p.F1174,p.L1196-p.S1206,p.G1269 |

| Gene | Accession | Exon | Variant Type | Description** |
|--------|--------------|---|---|---------------|
| BCOR | NM_017745 | 8 | Fusion | 5' |
| BCOR | NM_001123385 | mid-exon2, 3, 4, mid-exon4, 5, 6, 7, 8, 9, 11, 15 | Fusion, Internal Tandem Duplication | 5' |
| BCOR | NM_001123385 | 2, 4, mid-exon4, 6, 7, mid-exon7, 10, 12, 14, 15 | Fusion, Internal Tandem Duplication | 3' |
| BRAF | NM_004333 | 2, 3, 4, 5, 7, 8, 9, 10, 11, 12, 15, 16 | Fusion, Kinase Domain Duplication, BRAFΔ2-10, BRAFΔ4-10, BRAFΔ2-8, BRAFΔ3-8, BRAFΔ4-8 | 5' |
| BRAF | NM_004333 | 1, 2, 3, 7, 8, 10, 13, 14, 18 | Fusion, Kinase Domain Duplication, BRAFΔ2-10, BRAFΔ4-10, BRAFΔ2-8, BRAFΔ3-8, BRAFΔ4-8 | 3' |
| BRAF | NM_004333 | 15 | Mutation | p.V600 |
| CAMTA1 | NM_015215 | 8, 9, mid-exon9, 10 | Fusion | 5' |
| CAMTA1 | NM_015215 | 3 | Fusion | 3' |
| CCNB3 | NM_033031 | 2*, 3, 4, 5, 6, mid-exon 6, 7 | Fusion | 5' |
| CIC | NM_015125 | 12 | Fusion | 5' |
| CIC | NM_015125 | 14, 15, 16, 17, 18, mid-exon19, 19, mid-exon20, 20* | Fusion | 3' |
| CSF1 | NM_000757 | 2, 3, 4, 5, 6 | Fusion | 5' |
| CSF1 | NM_000757 | 5, 6, 7, 8*, mid-exon9* | Fusion | 3' |
| CSF1 | NM_172212 | 9* | Fusion | 3' |
| CTNNB1 | NM_001904 | 3 | Mutation | p.D32-p.S37 |
| EGFR | NM_005228 | 7, 8, 9, 14, 15, 16, 17, 18, 19, 20 | Fusion, Exon 2-7 Skipping (EGFRvIII), Kinase Domain Duplication | 5' |

| Gene | Accession | Exon | Variant Type | Description** |
|-------|-----------|--------------------------------------|---|---|
| EGFR | NM_005228 | 1, 24, 25, mid-exon25, 26 | Fusion, Exon 2-7 Skipping (EGFRvIII), Kinase Domain Duplication | 3' |
| EGFR | NM_005228 | 18, 19, 20, 21 | Mutation | p.E709-p.G719,p.E746-p.L760,p.V774-p.G796,p.L858-p.L861 |
| EPC1 | NM_025209 | 9, 10, 11 | Fusion | 3' |
| ERG | NM_004449 | 2*, 3*, 4, 5, 6, 7, 8, 9, 10, 11 | Fusion | 5' |
| ESR1 | NM_000125 | 5, 6, 7, 8 | Fusion | 5' |
| ESR1 | NM_000125 | 1, 2, 3, 4, 5, 6, 7 | Fusion | 3' |
| ETV1 | NM_004956 | 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 | Fusion | 5' |
| ETV4 | NM_001986 | 2, 3, 4, 5, 6, 7, 8, 9, 10 | Fusion | 5' |
| ETV5 | NM_004454 | 2*, 3, 7, 8, 9 | Fusion | 5' |
| ETV6 | NM_001987 | 2, 3, 4, 5, 6, 7 | Fusion | 5' |
| ETV6 | NM_001987 | 1, 2, 3, 4, 5, 6 | Fusion | 3' |
| ETV6 | NM_001987 | 3 | Mutation | p.Y104-p.R105 |
| EWSR1 | NM_005243 | 8 | Fusion | 5' |
| EWSR1 | NM_005243 | 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 | Fusion | 3' |
| FGFR1 | NM_015850 | 2*, 3, 4, 5, 6, 7, 8, 9, 10, 11, 17 | Fusion, Kinase Domain Duplication | 5' |
| FGFR1 | NM_015850 | 12, 17 | Fusion, Kinase Domain Duplication | 3' |
| FGFR1 | NM_023110 | 4, 13, 14 | Mutation | p.T141,p.V561,p.K656 |
| FGFR2 | NM_000141 | 2*, 3, 5, 6, 7, 8, 9, 10 | Fusion | 5' |

| Gene | Accession | Exon | Variant Type | Description** |
|-------|-----------|--|--------------------|---|
| FGFR2 | NM_000141 | 16, 17, 18 | Fusion | 3' |
| FGFR2 | NM_000141 | 7, 9, 12, 13, 14 | Mutation | p.S252-p.P253,p.G305,p.Y375-V395,p.I547-p.N549,p.V564,p.A648-p.K659 |
| FGFR3 | NM_000142 | 3, 5, 8, 9, 10, 11, 12, 13, 14 | Fusion | 5' |
| FGFR3 | NM_000142 | 16, 17, intron17, mid-exon18 | Fusion | 3' |
| FGFR3 | NM_000142 | 7, 9, 13, 14, 16 | Mutation | p.R248-p.S249,p.G370-p.R399,p.V555,p.D641-p.K650,p.G697-p.K715 |
| FOS | NM_005252 | mid-exon4 | Fusion | 3' |
| FOSB | NM_006732 | 1*, mid-exon1*, 1, 2 | Fusion | 5' |
| FOXO1 | NM_002015 | 1*, 2, 3* | Fusion | 5' |
| FOXO1 | NM_002015 | 1*, 2*, 3* | Fusion | 3' |
| FUS | NM_004960 | 3, 4, 5, mid-exon6, 6, 7, 8, 9, 10, 11, 13, 14 | Fusion | 3' |
| GLI1 | NM_005269 | 4, 5, 6, 7 | Fusion | 5' |
| GLI1 | NM_005269 | 4, 5, mid-exon5, 6, 7 | Fusion | 3' |
| HMGA2 | NM_003483 | 1, 2, 3, 4, mid-exon5*, 5* | Fusion | 3' |
| JAZF1 | NM_175061 | 2, 3, 4 | Fusion | 3' |
| MBTD1 | NM_017643 | 3* | Fusion | 5' |
| MBTD1 | NM_017643 | 15, 16, 17 | Fusion | 3' |
| MDM2 | NM_002392 | 5, 9 | Fusion, Expression | 5' |
| MDM2 | NM_002392 | 2, 4, 6, 8, 10 | Fusion, Expression | 3' |

| Gene | Accession | Exon | Variant Type | Description** |
|-------|--------------|--|-------------------------------------|---|
| MEAF6 | NM_001270875 | 4, 5 | Fusion | 3' |
| MET | NM_000245 | 2, 4, 5, 6, 13, 14, 15, 16, 17, 21 | Fusion, Exon 14 Skipping (METΔex14) | 5' |
| MET | NM_000245 | 2, 13 | Fusion, Exon 14 Skipping (METΔex14) | 3' |
| MGEA5 | NM_012215 | 4, 5, 6, 7, 8, 9, 12, 13, 14, 15 | Fusion, Expression | 5' |
| MKL2 | NM_014048 | 11, 12, 13 | Fusion | 5' |
| MYOD1 | NM_002478 | 1 | Mutation | p.L122, full CDS coverage for mutation detection |
| NCOA1 | NM_147223 | 11, 12, 13, 14, 15 | Fusion | 5' |
| NCOA2 | NM_006540 | 11, 12, 13, 14, intron 14, 15, 16, 22 | Fusion | 5' |
| NCOA2 | NM_006540 | 14 | Fusion | 3' |
| NCOA3 | NM_006534 | 2*, 13, 14, 15, 16 | Fusion | 5' |
| NCOA3 | NM_006534 | 20 | Fusion | 3' |
| NR4A3 | NM_173200 | 2*, 3*, 4, 5, 7, 9 | Fusion, Expression | 5' |
| NR4A3 | NM_173200 | 8 | Fusion, Expression | 3' |
| NTRK1 | NM_001007792 | 1, 2 | Fusion | 5' |
| NTRK1 | NM_002529 | 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 | Fusion | 5' |
| NTRK1 | NM_002529 | 13, 14, 15, 16, 17 | Mutation | Full Kinase Domain coverage for resistance mutations including p.G595 |
| NTRK2 | NM_006180 | 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 | Fusion | 5' |
| NTRK2 | NM_006180 | 11, 14 | Fusion | 3' |

| Gene | Accession | Exon | Variant Type | Description** |
|--------|--------------|---|--------------------|--|
| NTRK2 | NM_006180 | 16, 17, 18, 19, 20, 21 | Mutation | Full Kinase Domain coverage for resistance mutations |
| NTRK3 | NM_001007156 | 15 | Fusion | 5' |
| NTRK3 | NM_002530 | 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 | Fusion | 5' |
| NTRK3 | NM_002530 | 13, 14, 15, 17 | Fusion | 3' |
| NTRK3 | NM_002530 | 15, 16, 17, 18, 19 | Mutation | Full Kinase Domain coverage for resistance mutation detection including p.F617,p.G623,p.G696 |
| NUTM1 | NM_175741 | 2*, 3, mid-exon3, 4, 5, mid-exon6, 6 | Fusion | 5' |
| PAX3 | NM_181459 | 2, 4, 8 | Fusion, Expression | 5' |
| PAX3 | NM_181459 | 3, 5, 6, 7, 8 | Fusion, Expression | 3' |
| PDGFB | NM_002608 | 2, 3 | Fusion | 5' |
| PDGFRA | NM_006206 | 10, 11, 12, mid-exon12, 13, 14, 15 | Fusion,PDGFRAΔ8,9 | 5' |
| PDGFRA | NM_006206 | 7 | Fusion,PDGFRAΔ8,9 | 3' |
| PDGFRA | NM_006206 | 15, 18 | Mutation | p.T674,p.D842 |
| PHF1 | NM_024165 | 1*, 2 | Fusion | 5' |
| PHF1 | NM_024165 | 10, 11, 12 | Fusion | 3' |
| PLAG1 | NM_002655 | 1, 2, 3, 4 | Fusion | 5' |
| PRKCA | NM_002737 | 4, 5, 6, 9, 15 | Fusion | 5' |
| PRKCB | NM_002738 | 1, 3, 7, 8, 9 | Fusion | 5' |
| PRKCD | NM_006254 | 9, 10, 11, 12, 15 | Fusion | 5' |

| Gene | Accession | Exon | Variant Type | Description** |
|-------|--------------|---|--------------|---------------|
| PRKCD | NM_006254 | 18 | Fusion | 3' |
| RAF1 | NM_002880 | 2*, 4, 5, 6, 7, 8, 9, 10, 11, 12 | Fusion | 5' |
| RAF1 | NM_002880 | 4, 5, 6, 7, 8, 9 | Fusion | 3' |
| RET | NM_020630 | 2, 4, 6, 8, 9, 10, 11, mid-exon11, 12, 13, 14 | Fusion | 5' |
| RET | NM_020630 | 15, 16 | Mutation | p.A883,p.M918 |
| ROS1 | NM_002944 | 2, 4, 7, 31, 32, 33, 34, 35, 36, 37 | Fusion | 5' |
| ROS1 | NM_002944 | 38 | Mutation | p.G2032 |
| SS18 | NM_001007559 | 2, 3, 4, 5, 6, 10, 11 | Fusion | 5' |
| SS18 | NM_001007559 | 4, 5, 6, 8, 9, 10 | Fusion | 3' |
| STAT6 | NM_001178078 | 1*, 2*, 3, 4, 5, 6, 7, 15, 16, 17, 18, 19, 20 | Fusion | 5' |
| TAF15 | NM_139215 | 6, 7 | Fusion | 5' |
| TAF15 | NM_139215 | 5, 6, 7, 9 | Fusion | 3' |
| TCF12 | NM_207036 | 4, 5, 6 | Fusion | 3' |
| TFE3 | NM_006521 | 2, 3, 4, 5, 6, 7, 8 | Fusion | 5' |
| TFE3 | NM_006521 | 2, 3, 4, 5, 6 | Fusion | 3' |
| TFG | NM_006070 | 6 | Fusion | 5' |
| TFG | NM_006070 | 3, 4, 5, 6, 7, mid-exon8 | Fusion | 3' |
| USP6 | NM_004505 | 1*, mid-exon1*, 2*, 3 | Fusion | 5' |
| VGLL2 | NM_182645 | 1, 2, 3, intron3, 4 | Fusion | 3' |

| Gene | Accession | Exon | Variant Type | Description** |
|-------|--------------|-----------------------------|--------------|---------------|
| YAP1 | NM_001130145 | 1, mid-exon1, 2, 3, 4, 8, 9 | Fusion | 5' |
| YAP1 | NM_001130145 | 1, 2, 3, 4, 5, 6, 7 | Fusion | 3' |
| YWHAE | NM_006761 | 5 | Fusion | 3' |

*Indicates exons that are entirely untranslated region (UTR), or for which the UTR is targeted.

**The mutations listed under the Description column are targeted by the assay design. Version 6.2 and earlier of Archer Analysis may not support RNA SNV/Indel variant calling at exon junctions depending on the sequence context (SNVs ≤5bp, indels ≤30bp). *De Novo* RNA SNV/Indel and Internal Tandem Duplication mutation detection are not supported on the Ion Torrent Sequencing System.

†ALK-ATI currently requires review outside of Archer Analysis.

Limitations of use

For research use only. Not for use in diagnostic procedures. Unless otherwise agreed to in writing, IDT does not intend these products to be used in clinical applications and does not warrant their fitness or suitability for any clinical diagnostic use. Purchaser is solely responsible for all decisions regarding the use of these products and any associated regulatory or legal obligations.

Safety data sheets pertaining to this product are available upon request.

This product or service is licensed under one or more of the following U.S. Patents: 8,835,358; 9,290,808; 9,290,809; 9,315,857; 9,708,659; and 9,816,137 owned by BD and is licensed solely for the use described in the associated product literature. No other rights, implied or otherwise, are granted to purchaser hereunder. Purchaser agrees, by way of example and not limitation, not to use this product to trace back the origin of a nucleic acid to an individual cell as a discrete entity (e.g., single cell analysis).

© 2023 Integrated DNA Technologies, Inc. All rights reserved. FusionPlex, VariantPlex, LiquidPlex, Immunoverse, Archer Analysis, and Archer Assay Marketplace are trademarks of Integrated DNA Technologies, Inc. All other marks are the property of their respective owners. For specific trademark and licensing information, see www.idtdna.com/trademarks.